




Wireless Smart Video Intercom

2MP / 160° View Angle / 300m transmission range

Model No.: WL-7TM1D-128GWL-SLR



WiFi



Wireless Distance



Resolution



Wide Angle



Intercom



Remote Unlock



Snapshot



Video Recording



Motion Detection



Megapixel



Night Vision



IP55



Touch Screen




Battery Backup



Solar Charge



Smart Life App



WiFi



Smart Life
Mobile App

Wireless Video Intercom

Frequency: 868MHz or 915MHz



Better Distance And Penetration

Even If The Signal Has To Cross Multi Walls



Working Distance: 300m
(Openfield)

Adopt **HaLow Technology** For Low Power Consumption And Good Penetration,
3 Times Longer Distance Than 2.4GHz

Smartphone Control



Smart Life
Mobile App

Intercom



Unlock



Video recording



Snapshot



Unlocking Through Indoor Unit



Simply Press One Button To Unlock




(Electric lock is sold separately)

Monitoring

Press Monitor Button To See What Happens at the Door



View Outside At a Glance



IP Rating: IP55



Working Temperature

-20°C~50°C



Built-in
1080P FHD Camera

More Clear Than 800TVL and 1200TVL



1080P



1200TVL



800TVL



FHD CAMERA

Built-in
Night Vision

Allows You To Capture Activities Around The Door At Night




Day





Night



Outdoor Unit




Indoor Unit




Outdoor Unit AC/DC Power Supply




(Solar Powered)



(AC/DC 8-24V)



(DC 12V 1A adapter)



(DC 12V 2A adapter)

Specifications

Outdoor Unit

Power supply	Adapter	DC12V/1~2A
	Battery	DC3.7V/5000mAh Lithium (DC5V/1A or Solar Powered)
Camera		2MP, 1080P, 160°
Ring/talk Volume		>80dB
Standby Current		<300uA
Operating Current		<500mA
Wireless Distance		200~300m (open area)
Night Vision		850nm (infrared)
IP Rating		IP55
Lock voltage/current		30V/3A (Max.)
Operating temperature		-20°C~50°C
Relative humidity		10%~90% (RH)



Acrylic
black



Aluminum alloy
black



Aluminum alloy
gunmetal gray



Aluminum alloy
silver

Specifications

Indoor Unit

Screen Resolution	1024(RGB)* 600
Display Size	7"(LCD)
Battery	DC3.7V/1150mAh Lithium
Power Supply	DC5V/1A
Operating Current	<800mA
Standby Current (average)	<300mA
Ring/talk Volume	>80dB
TF Card	Up to 128 GB
WIFI Frequency	2.4GHz & 5GHz
Wireless Distance	200~300m (open area)
Wi-Fi Range	≈50m (open area)
Operating temperature	-10°C~50°C
Relative humidity	10%~90%(RH)

